

CHUTES & HEAD GATES

"I have been involved with ranching all my life... I have used nothing but Powder River and will continue to, so long as I work cattle. It's strong, stout, built by folks with livestock know-how, and will last for generations to come..."


— John A., Larkspur Colorado

(Photo: John and his son - getting ready for a preg check session)



XL Manual Chute with Right Exit Order No. 002-10052
(Shown with optional Neck Extender Order number. 002-20000)

All Powder River XL Chutes Include:




Side Exit

A side exit, which swings fully open.



Split tailgate

Sheeted Split Tailgate keeps animals from backing up.



Hinged Kick Panels

Our kick panels are hinged yet still totally removable. The panels are heavy gauge to reduce noise in the chute.

XL SQUEEZE CHUTES

The Powder River XL Manual Squeeze Chute with Right Side Exit is Powder River's top selling squeeze chute. This chute will stand up to the toughest of conditions. It will handle bulls, large cows, and even calves if necessary. If you are debating between a Value Chute and the XL Chute, go with the XL. It will hold its value and last for many years to come, no matter how many head you run through it.

XL CHUTE FEATURES AND SPECIFICATIONS

- ★ Head Stanchion, Center Squeeze, split tailgate controlled from one position enabling one-man operation
- ★ Drop side pipes allow animal access from both sides for vaccinating, pour-on, etc.
- ★ Tailgate locks open, allowing one-man operation of the tailgate while working animal into the chute
- ★ Designed for animals up to 2500 lbs.
- ★ Positive locking side exit latch prevents accidentally opening
- ★ Safety latch provides operator assurance on chute's exit side
- ★ V-Pattern squeeze provides even pressure on animal to keep them in a balanced upright position while being worked



Bolt-on Neck Extender

Order No. 002-20000



XL Chute w/Self-Catch Head Gate

Order No. 002-20056

XL MANUAL CHUTE SPECIFICATIONS

| Order No. | Description | Weight | Length Overall |
|-----------|--|-----------|--------------------------------|
| 002-10052 | XL Manual Chute RH Exit 2 1/2" Square Tube Stanchions | 1350 lbs. | 96" |
| 002-10054 | XL Manual Chute LH Exit 2 1/2" Square Tube Stanchions | 1350 lbs. | Length Inside. 86" |
| 002-20056 | XL Chute RH Exit w/Self-Catch Head Gate | 1385 lbs. | I.D. w/Auto Head Gate . 96" |
| 002-20058 | XL Chute LH Exit w/Self-Catch Head Gate | 1385 lbs. | Height Overall 89" |
| | | | Height Inside 66" |
| | | | Widest Point. 116" |
| | | | Base Width 47" |
| | | | Adj. Sqz. Widths 7"/12"/17" |
| | | | Main Frame 3" Square Tube |
| | | | Controls . . . Reversible L/R |
| | | | Tailgate . . 1.66" O.D. Tubing |

The XL Chute with Self-Catch Head Gate includes all the features listed above. It is the same chute as the XL manual, with the exception of the Head Gate. The self-catch Head Gate allows you to work the alley more efficiently and not have to stay at the Head Gate. It is not recommended for horned cattle.

RANCHERS CHOOSE POWDER RIVER XL CHUTES

- Great investment — holds value
- V-Pattern squeeze provides even pressure and keeps cattle in a balanced and upright position
- Works in toughest conditions with low maintenance

STABILIZER SQUEEZE CHUTES

Recommended
for any
herd size

RANCHER XL STABILIZER SQUEEZE CHUTE

Stabilizer Spool rope actuator can be operated from anywhere along the chute

Close the manual head gate using the rope anywhere along the side of the chute

HD Self-Catch Head Gate is quick, simple to operate and dependable

Return Spring resets the shoulder/head catch



All Steel split Kick Panels on each side fold down or can be removed – providing a safe and easy access to the lower part of the animal.

Patented Stabilizer Manual Shoulder/Head Catch provides optimum control of the animal by providing a second point of contact on the animal's neck – also works as a manual head gate for horned cattle and calves



Ten Drop Down Side Pipes for easy access to the animal

9 1/2 inch opening between the dual head gates for neck access



Powder River built the first All Steel Squeeze Chute over 60 years ago and continues to take livestock handling equipment to a new level of safety and ease of use with the Stabilizer line of Squeeze Chutes. The innovative Stabilizer gives cattlemen greater control of the animal than any of the conventional chutes on the Market today. The all new Stabilizer Shoulder/Head catch provides a second contact point that greatly decreases any movement of the animal's head, allowing for ease and efficiency while working the head and neck area. By controlling the head you control the rest of the animal, thus reducing stress.

RANCHER XL STABILIZER CHUTE SPECIFICATIONS

Order No. 002-30000
Overall Length 106"
Inside Length 94"
Highest Point 88"
Weight 1,510 lbs.

RANGER STABILIZER CHUTE SPECIFICATIONS

Order No. 001-30000
Overall Length 103"
Inside Length 94"
Highest Point 80"
Weight 1,040 lbs.



RANGER STABILIZER SQUEEZE CHUTE

Recommended for small to average herds

HYDRAULIC CHUTES



Rancher Hydraulic Chute With Pivot Arm

Order No. 003-40020

Now you can decide the position of your hydraulic control levers with Powder River's Rancher Hydraulic Chute w/Pivot Arm. The unique 340 degree pivot arm gives you the freedom to decide from what location you want to run the chute.

POWDER RIVER HYDRAULIC CHUTE BUILT FOR THE COW/CALF OPERATOR

- Affordable for the average rancher
- Runs off 110 or 220 volt power
- Live Stanchion moves with squeeze side adding to ease of animal control
- Chute with pivot arm allows you to decide where you want your control levers
- XL Chute Trailer now works with hydraulic chute — see page 10 for stirrup ordering information

Powder River's Rancher Hydraulic Squeeze Chute has been thoroughly tested and is now ready for your ranch. Our hydraulic chute incorporates a proven design with value engineering to make it affordable for the average rancher. (The chute is not recommended for high volume feedlots.) If you are a rancher with a desire to work your herd faster, safer and easier, choose the Rancher Hydraulic Squeeze Chute from Powder River, the industry's quality leader.

FEATURES AND SPECIFICATIONS

- ✦ Left Hand Controls
- ✦ Right Side Exit opens fully for animal exit
- ✦ Stanchion, Center Squeeze, Tailgate controlled by 2 x 6 Ag Cylinder
- ✦ Three width adjustments (*manual*)
- ✦ Curtain-style fully sheeted tailgate
- ✦ Live Stanchion moves with squeeze sides for ease of animal control
- ✦ One-piece 14-gauge kick panels with single center release latch
- ✦ Factory set pressure relief valve for animal safety
- ✦ Neck extender included

FEATURES AND SPECIFICATIONS

- ✦ Control levers adjust vertically on pivot arm allowing anyone to work the chute from a comfortable position, even from a chair or stool.
- ✦ Pivot arm allows the hydraulic control levers to be located from side to side or front to back on either side of the chute.
- ✦ Allows for positioning the operator out of the animal's flight zone.
- ✦ Pivot Arm & hoses can be purchased separately and added to existing Rancher Hydraulic Chute (*some welding required*).



Rancher Hydraulic Squeeze Chute

Order No. 003-40005



Neck Extender

RANCHER HYDRAULIC SQUEEZE CHUTE SPECIFICATIONS

| Order No. 003-40020 w/Pivot Arm | Order No. 003-40005 |
|---------------------------------|---|
| CHUTE | HYDRAULICS |
| Length98" | Motor Two Horse 1750 RPM (110v or 220v) |
| Width46" | Pump Two Stage |
| Widest Point60" | Valve Three Spool |
| Highest Point95" | System Pressure. 1000 lbs. |
| Stanchion Widest Point . 30" | Chute frame oil reservoir . 4 gallons |
| Stanchion Clearance . . .69" | Hydraulic Parts Warranty . . 1 year |
| Tailgate Opening28" | |
| Tailgate Clearance66" | |
| Chute Side Height61" | |
| Chute Warranty5 years | Weight 1,690 lbs. |

VALUE CHUTES



Value Chute I Order No. 001-01000

VALUE CHUTES FEATURES AND SPECIFICATIONS

- ✦ Manual Head Gate provides wide opening for catching horned animals
- ✦ Chute sides squeeze simultaneously providing even pressure to the animal, thus reducing chance of injury
- ✦ Drop-side pipes allow animal access from either side
- ✦ Kick panels are removable on each side for checking feet, udders, etc.
- ✦ Chute sides can be adjusted at 7, 12, and 17-inches wide to accommodate for the size of the animal being worked
- ✦ A right side exit comes with every chute, allowing the animal to exit out the side if it does not want to exit out the front. The side exit is also a great safety feature if an animal gets down in the chute.
- ✦ The Value Chute is All-Steel construction for more years of service
- ✦ Nose Tongs come with each chute for keeping the head in a still position for ear tagging or dehorning



(For herds of 30 head or less and for cattle 1100 lbs. or less. Not designed for handling bulls.)



Value Chute w/Side Exit

POWDER RIVER VALUE CHUTE IS DESIGNED FOR SMALL HERDS

- Affordable all steel construction — safe for you and animal
- Available with Self-Catch or Manual Head Gate
- Comes with all of the key features of the XL Chute

For herds of 30 head or less and for cattle 1,100 lbs. or less. Not designed for bulls.



Manual Value Chute

Order No. 001-01003

VALUE CHUTE I SPECIFICATIONS

| Order No. | Dimensions | Weight |
|-----------|--|----------|
| 001-01000 | Length Overall . . .93" Height74" Width Overall . . .37" | 900 lbs. |

MANUAL VALUE CHUTE SPECIFICATIONS

| Order No. | Dimensions | Weight |
|-----------|--|----------|
| 001-01003 | Length Overall . . .92" Height75" Width Overall . . .37" | 845 lbs. |



Classic Longhorn Squeeze Chute

Order No. 002-00040

Don't lose valuable income due to broken horns and injured animals. Designed especially for the Longhorn breed, our Classic Longhorn Chute has unique horizontal squeeze pipes that allow the animal and its horns to pass through the chute. The center of the stanchion opens to 28 inches, allowing the animal to pass easily through the Head Gate. The schedule 40 horizontal pipes can be swung out of the way, providing access to the animal's sides. The Longhorn Chute features one-man control levers, a lock open tailgate and split removable kick panels.

LONGHORN CHUTE SPECIFICATIONS

| | |
|--------------------------|-----------|
| Order No. | 002-00040 |
| Weight | 1339 lbs. |
| Base Width | 47" |
| Widest Point | 116" |
| Length Inside | 86" |
| Length Overall | 96" |
| Height Inside | 66" |
| Height Overall | 89" |



Value Pregnancy Test Gate

Order No. 004-00020

Value Pregnancy Testing Gates are designed to connect to the Value Chutes using our quick pin and clip connectors. They include a spring loaded latch gate on each side for easy access, creating a safe working area. They can even be used as cut out gates.

VALUE PREGNANCY TEST GATE SPECIFICATIONS

| Order No. | Dimensions | Weight |
|-----------|--|----------|
| 004-00020 | Gates, 16-gauge 30 x 64" Length Overall34" Width Overall28" Height78" 13-gauge Frame | 124 lbs. |

Pregnancy Test Gate

Order No. 004-00040

Protect yourself and your veterinarian with Powder River's Pregnancy Testing Gates. A positive single bar spring loaded latch locks off the alley, forming a protected work-space. The Pregnancy Gates connect to both Classic XL Squeeze Chutes.

PREGNANCY TEST GATE SPECIFICATIONS

| Order No. | Dimensions | Weight |
|-----------|--|----------|
| 004-00040 | Gate 30 x 52" Length Overall 34" Width Overall 28" Height 78" | 211 lbs. |

Description: 13-gauge Frame, 12-gauge sheeting



Photo by David R. Stoecklein

HEAD GATES



Classic Stanchion

A Powder River innovation, this Classic Stanchion features adjustable safety yokes allowing operators to remove the yokes providing the animal with a straight drop-down stanchion. For more control, the yokes can be returned to the stanchion, and an optional neck extender gives even further control. Perfect for all sizes of cattle, the unit bolts directly to posts, or pins to Classic Panels using the included single clevises. Available wood-to-panel adapters simplify mounting the unit to wood.

CLASSIC STANCHION LH SPECIFICATIONS

Order No.001-00160
Weight270 lbs.
Widest Point116"
Height Overall81"
Mounting Hole Width ...31 1/2"
Base47"
Frame2 1/2" Square Tubing
Nose Tongs are Included



Classic Self-Catch Head Gate

The Classic Self-Catching Head Gate is especially convenient for one-person operations, this Self-Catch Head Gate will make your job easier and quicker. The Head Gate features quick release mechanisms on the top and bottom of both sides and straight drop-down stanchion covers. Animals can be quickly relieved if they begin choking or get stuck in the Head Gate by simply releasing the release mechanisms. (Connecting hardware included.)

CLASSIC SELF-CATCH HEAD GATE SPECIFICATIONS

Order No.001-00030
Weight321 lbs.
Height Overall77"
Widest Point45"
Catch SettingAdjustable
Exit Opening27" x 63"
Nose Tongs are Included



Value Head Gate


If a squeeze chute is not in your budget, the Value Head Gate I is very affordable. It can be attached to Powder River Panels or adapted to your existing alleyway. The Value Head Gate I is a self-catch design and works best with polled or dehorned cattle. It can be easily set to catch most any size animal.

VALUE HEAD GATE SPECIFICATIONS

Order No.001-01085
Weight224 lbs.
Height (overall)71"
Widest Point37 1/2"
Exit Opening27"
Frame2" Sch. 40

MANUAL VALUE STANCHION SPECIFICATIONS

Order No.001-01096
Weight187 lbs.
Height74"
Widest Point58"
(when closed)
Width w/o handle38"



Manual Value Head Stanchion

The Manual Value Stanchion is a simple trouble-free scissor type design. The new and improved ratchet has more teeth which creates less play in the Head Gate. Clevises included for connecting panels.

Intended for Small Herds, 30 head or less



Chute Trailer

Order No. 004-00100

From small producers to large sprawling operations, this chute trailer will get your chute to the cattle. A heavy-duty winch and cable lifts the chute into a transport position where it is secured with four pins. **(Tires are not included.) It will not work with the Value Chute and is not designed for highway use. Order stirrups separately for Hydraulic, XL Rancher Stabilizer, Self-Catch (Auto) or Longhorn Chute.**

VALUE CHUTE TRAILER SPECIFICATIONS

| Order No. | Dimensions |
|-----------|-------------------------|
| 004-50000 | Length Overall 137" |
| Weight | Width Overall 65" |
| 226 lbs. | Frame 45 1/2" |



Value Chute Trailer

Order No. 004-50000

This trailer is designed for the Ranger Stabilizer, Value Chute I and Manual Value Chute. It can be hooked to your Value Chute in minutes. All connectors come with trailer, 2-inch ball hitch required. **(Tires are not included.) Not for highway use.**

CHUTE TRAILER SPECIFICATIONS

| Order No. | Dimensions | Weight |
|-----------|--|----------|
| 004-00100 | Length Overall . . 154" | 280 lbs. |
| | Width Overall . . 70" | |
| | Frame 52" | |
| | Five 15" Lug Rims (no tires) | |
| | Ball Hitch 2" | |
| 004-00090 | XL Manual / Longhorn Stirrup Set | |
| 004-00095 | XL Rancher Stabilizer / Auto Chute Stirrup Set | |
| 004-00125 | Hydraulic Chute Stirrup Set | |



Hand
operated
winch

CLASSIC LOADING RAMP SPECIFICATIONS

| | |
|---|---------------------------|
| Ramp Length..... | 14' |
| Height Settings | 30 to 50" |
| Rims | 15" 5-lug |
| Bow Heights..... | 7' 7" & 10' 7" |
| Width Inside..... | 35" |
| Solid Sides | 18" |
| Height of Sides | 54" |
| Hitch | 2" Ball |
| Axle | 3/12" Sq. Tube, 1/4" Wall |
| Entry Fitted w/Panel Pins & Clips (tires not included) | |

| Order No. | Description | Weight |
|-----------|--------------------------|-----------|
| 012-00010 | Ramp (stationary) | 1114 lbs. |
| 012-00011 | Ramp (portable) | 1264 lbs. |



14' Classic Loading Ramp

With its gentle slope and unique stair-step design, this all-steel loading ramp allows you to load any type of livestock with ease. The stairs are fabricated from diamond steel plate, which will withstand many years of heavy use. The deck height is adjustable from 30 to 50 inches. A hand-operated winch makes adjusting the ramp simple and quick. The ramp locks into place with a safety chain when the desired height is reached. The ramp can be ordered stationary or portable.

